

LIVE ACOUSTICS

"Visionaries with a passion and relentless commitment to push the boundaries of what's possible."

CREATING BETTER SOUNDSCAPES



CONTACT US

+27 (0)31 - 767 0006
info@liveacoustics.co.za
www.liveacoustics.co.za
4 Halstead Road, Kloof



We have embraced the growing interest in sound absorption and in creating a more efficient working environment.

We continually develop new products that provide better "soundscapes" for both office and home environments.

ACOUSTIC WALL AND CEILING PANELS

SOLUTIONS FOR ALL MARKETS

LIVE | ART

CUSTOM PRINTED ACOUSTIC PANELS


- High sound absorption.
- Formaldehyde free.
- Resistant to moisture and warping.
- 50mm thick.
- Not recommended as a tackable surface.
- NRC 0.85.
- Maximum recommended dimension 2400x1200



LIVE | TEXTILE

FABRIC ACOUSTIC PANELS



- High sound absorption.
- Formaldehyde free.
- Resistant to moisture and warping.
- 18mm / 34mm thick.
- Not recommended as a tackable surface.
- NRC 0.50.
- Maximum recommended dimension 2400x1200
- Rectangle and square shapes



LIVE | TEXTILE

2D FABRIC ACOUSTIC PANELS

- High sound absorption.
- Formaldehyde free.
- Resistant to moisture and warping.
- Shapes 18mm / 34mm thick.
- Blocks 18mm / 34mm / 52mm
- Not recommended as a tackable surface.
- NRC 0.50.
- Minimum recommended dimension 300x300
- Available in various shapes



LIVE | TEXTILE

3D FABRIC ACOUSTIC PANELS




- High sound absorption.
- Formaldehyde free.
- Resistant to moisture and warping.
- Not recommended as a tackable surface.
- NRC 0.90.
- Available in various 3D shapes and thicknesses.
- Limited fabric colours available.



LIVE | TEXTILE

FABRIC ACOUSTIC BAFFLES

- High sound absorption.
- Formaldehyde free.
- Resistant to moisture and warping.
- 34mm thick.
- Not recommended as a tackable surface.
- NRC 0.85.
- Horizontal and Vertical
- Maximum recommended dimension 2400x1200



LIVE | TIMBER

TIMBER SLATTED ACOUSTIC PANELS



- Highly sound absorbent
- Resistant to moisture and warping
- Available in a 100mm thickness
- Ideal for high traffic areas.
- NRC 0.98.
- Maximum recommended dimension 2400x1200
- Solid timber slats



LIVE | WOOD

WOOD WOOL ACOUSTIC PANELS

- Decorative and acoustically effective interior product.
- Sub-ceiling and wall cladding.
- Panel dimensions 1200x600
- Ideal for high traffic areas.
- Up to NRC 0.9.
- Available in various colours and designs
- Magnesite bonded wood wool.
- Suitable for rooms with constant humidity.



LIVE | CREATIVE

POLY FIBER ACOUSTIC PANELS


- Decorative acoustic absorbing panel.
- 100% PET plastic.
- Avoid exposure to heat 65°C.
- Low VOC emission.
- 24mm / 36mm thick.
- Not recommended as a tackable surface.
- NRC 0.65.
- Minimum recommended dimension 300x300
- Maximum dimension 2400x1200
- Available in various shapes



LIVE | CREATIVE

POLY FIBER ACOUSTIC BAFFLES

- Decorative acoustic absorbing baffles. Horizontal or Vertical.
- 100% PET plastic.
- Avoid exposure to heat 65°C.
- Low VOC emission.
- 24mm / 36mm thick.
- Not recommended as a tackable surface.
- NRC 0.65.
- Minimum recommended dimension 300x300
- Maximum dimension 2400x1200
- Available in various shapes



LIVE | CREATIVE

POLY FIBER DECORATIVE

- Decorative products.
- 100% PET plastic.
- Avoid exposure to heat 65°C.
- Low VOC emission.
- Available in various designs and dimensions.



POLY FIBER ACOUSTIC PANELS


- Decorative acoustic absorbing panel.
- 100% PET plastic.
- Avoid exposure to heat 65°C.
- Low VOC emission.



LIVE | CREATIVE

POLY FIBER DECORATIVE




- Decorative products.
- 100% PET plastic.
- Avoid exposure to heat 65°C.
- Low VOC emission.
- Available in various designs and dimensions.



LIVE | CREATIVE

POLY FIBER DECORATIVE

- Decorative products.
- 100% PET plastic.
- Avoid exposure to heat 65°C.
- Low VOC emission.
- Available in various designs and dimensions.



LIVE | GLASS

ACOUSTIC TREATMENT ON GLASS

- Decorative absorbing panels.
- Curtains, Films, Poly fiber or Fabric.
- Low VOC emission.
- 24mm / 36mm thick.
- Not recommended as a tackable surface.
- Minimum recommended dimension 300x300
- Maximum dimension 2400x1200
- Available in various shapes



LIVE CINEMA

HOME THEATRES



- Custom designed, Pro or Standard.
- Supply of acoustic wall and ceiling treatments, equipment and automation.
- Supply of lighting, carpeting, curtains and theatre seating.
- Various fabrics and finishes.
- Theatre in a box or complete installation.
- Design and consultation services offered.




LIVE | DESIGN

PRODUCT DEVELOPMENT, ACOUSTIC CONSULTING AND PRODUCT SPECIFICATIONS

- Design and development of new acoustic products to suit any environment and requirements.
- Product specification, procurement and planning.



Absorption



Reflection



Diffusion

LIVE ACOUSTICS

"Visionaries with a passion and relentless commitment to push the boundaries of what's possible."

CREATING BETTER SOUNDSCAPES



CONTACT US

+27 (0)31 - 767 0006
info@liveacoustics.co.za
www.liveacoustics.co.za
4 Halstead Road, Kloof

We have embraced the growing interest in sound absorption and in creating a more efficient working environment.

We continually develop new products that provide better "soundscapes" for both office and home environments.

ACOUSTIC WALL AND CEILING PANELS

SOLUTIONS FOR ALL MARKETS

